



SAFETY DATA SHEET

FEDERCROM PC REPLENISHER

Page: 1

Compilation date: 18/10/2005

Revision date: 01/05/15

Revision No: 4

Section 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name: FEDERCROM PC REPLENISHER

Product code: A903

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of substance / mixture: Liquid used in the surface treatment of aluminium.

1.3. Details of the supplier of the safety data sheet

Company name: Confederate Chemicals Ltd

Mochdre Industrial Estate

Newtown

Powys

SY16 4LE

Tel: 01686 627158

Fax: 01686 627580

Email: lab@confederatechemicals.co.uk

1.4. Emergency telephone number

Emergency tel: 01686 627158

Section 2: Hazards identification

2.1. Classification of the substance or mixture

Classification under CHIP: T: R45; T: R46; Xn: R21/22; T+: R26; C: R35; Sens.: R42/43; T: R48/23; N: R51/53; Xn: R62

Classification under CLP: Skin Corr. 1B: H314; Acute Tox. 1: H330; Acute Tox. 4: H302+312; Resp. Sens. 1: H334; Muta. 1A: H340; Carc. 1A: H350; STOT RE 1: H372; Aquatic Chronic 2: H411; Skin Corr. 1A: H314; Skin Corr. 1C: H314; Resp. Sens. 1A: H334; Resp. Sens. 1B: H334; Muta. 1B: H340

Most important adverse effects: May cause cancer. May cause heritable genetic damage. Harmful in contact with skin and if swallowed. Very toxic by inhalation. Causes severe burns. May cause sensitisation by inhalation and skin contact. Toxic: danger of serious damage to health by prolonged exposure through inhalation. Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment. Possible risk of impaired fertility.

2.2. Label elements

Label elements:

Hazard statements: H302+312: Harmful if swallowed or in contact with skin.

[cont...]

SAFETY DATA SHEET
FEDERCROM PC REPLENISHER

Page: 2

H340: May cause genetic defects.

H330: Fatal if inhaled.

H350: May cause cancer.

H314: Causes severe skin burns and eye damage.

H334: May cause allergy or asthma symptoms or breathing difficulties if inhaled.

H372: Causes damage to organs through prolonged or repeated exposure.

H411: Toxic to aquatic life with long lasting effects.

Signal words: Danger

Hazard pictograms: GHS05: Corrosion

GHS06: Skull and crossbones

GHS09: Environmental



Label elements under CHIP:

Hazard symbols: Very toxic.

Corrosive.

Dangerous for the environment.



Risk phrases: R45: May cause cancer.

R46: May cause heritable genetic damage.

R21/22: Harmful in contact with skin and if swallowed.

R26: Very toxic by inhalation.

R35: Causes severe burns.

R42/43: May cause sensitisation by inhalation and skin contact.

R48/23: Toxic: danger of serious damage to health by prolonged exposure through inhalation.

R51/53: Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

R62: Possible risk of impaired fertility.

Safety phrases: S23: Do not breathe fumes.

S26: In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

S28: After contact with skin, wash immediately with plenty of soap and water.

S36/37/39: Wear suitable protective clothing, gloves and eye / face protection.

S38: In case of insufficient ventilation, wear suitable respiratory equipment.

S45: In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible).

[cont...]

SAFETY DATA SHEET
FEDERCROM PC REPLENISHER

Page: 3

S53: Avoid exposure - obtain special instructions before use.

S61: Avoid release to the environment. Refer to special instructions / safety data sheets.

S63: In case of accident by inhalation, remove casualty to fresh air and keep at rest.

Precautionary phrases: Restricted to professional users.

2.3. Other hazards

PBT: This product is not identified as a PBT/vPvB substance.

Section 3: Composition/information on ingredients

3.2. Mixtures

Hazardous ingredients:

CHROMIUM TRIOXIDE

EINECS	CAS	CHIP Classification	CLP Classification	Percent
215-607-8	1333-82-0	T: R45; T: R46; O: R9; T: R24/25; T+: R26; C: R35; Sens.: R42/43; T: R48/23; Xn: R62; N: R50/53	Ox. Sol. 1: H271; Carc. 1A: H350; Muta. 1B: H340; Repr. 2: H361f; Acute Tox. 2: H330; Acute Tox. 3: H311; Acute Tox. 3: H301; STOT RE 1: H372; Skin Corr. 1A: H314; Resp. Sens. 1: H334; Skin Sens. 1: H317; Aquatic Chronic 1: H410; Aquatic Acute 1: H400	10-30%

ORTHOPHOSPHORIC ACID

231-633-2	7664-38-2	C: R34	Skin Corr. 1B: H314	10-30%
-----------	-----------	--------	---------------------	--------

Section 4: First aid measures

4.1. Description of first aid measures

Skin contact: Remove all contaminated clothes and footwear immediately unless stuck to skin.

Drench the affected skin with running water for 10 minutes or longer if substance is still on skin. Transfer to hospital if there are burns or symptoms of poisoning.

Eye contact: Bathe the eye with running water for 15 minutes. Transfer to hospital for specialist examination.

Ingestion: Do not induce vomiting. If conscious, give half a litre of water to drink immediately. Give 1 cup of water to drink every 10 minutes. If unconscious, check for breathing and apply artificial respiration if necessary. If unconscious and breathing is OK, place in the recovery position. Transfer to hospital as soon as possible.

Inhalation: Remove casualty from exposure ensuring one's own safety whilst doing so. If unconscious, check for breathing and apply artificial respiration if necessary. If unconscious and breathing is OK, place in the recovery position. If conscious, ensure the casualty sits or lies down. If breathing becomes bubbly, have the casualty sit and provide oxygen if available. Transfer to hospital as soon as possible.

[cont...]

SAFETY DATA SHEET
FEDERCROM PC REPLENISHER

Page: 4

4.2. Most important symptoms and effects, both acute and delayed

Skin contact: Irritation or pain may occur at the site of contact. Severe burns may occur. Absorption through the skin may occur causing symptoms similar to those of ingestion.

Eye contact: There may be irritation and redness. There may be severe pain. Corneal burns may occur.

Ingestion: There may be difficulty swallowing. Inhalation of fumes from the stomach may cause symptoms similar to direct inhalation. Nausea and stomach pain may occur. There may be vomiting. The breathing may become shallow and rapid. May cause dizziness. There may be loss of consciousness. Convulsions may occur.

Inhalation: There may be a feeling of tightness in the chest with shortness of breath. There may be loss of consciousness. Convulsions may occur.

Delayed / immediate effects: Immediate effects can be expected after short-term exposure.

4.3. Indication of any immediate medical attention and special treatment needed

Immediate / special treatment: Immediate medical attention is required. Show this safety data sheet to the doctor in attendance. Eye bathing equipment should be available on the premises.

Section 5: Fire-fighting measures

5.1. Extinguishing media

Extinguishing media: Suitable extinguishing media for the surrounding fire should be used. Use water spray to cool containers.

5.2. Special hazards arising from the substance or mixture

Exposure hazards: Toxic. Corrosive. In combustion emits toxic fumes.

5.3. Advice for fire-fighters

Advice for fire-fighters: Wear self-contained breathing apparatus. Wear protective clothing to prevent contact with skin and eyes.

Section 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions: Refer to section 8 of SDS for personal protection details. Mark out the contaminated area with signs and prevent access to unauthorised personnel.

6.2. Environmental precautions

Environmental precautions: Do not discharge into drains or rivers. Contain the spillage using bunding.

6.3. Methods and material for containment and cleaning up

Clean-up procedures: Absorb into dry earth or sand. Clean-up should be dealt with only by qualified personnel familiar with the specific substance.

[cont...]

SAFETY DATA SHEET
FEDERCROM PC REPLENISHER

6.4. Reference to other sections

Reference to other sections: Refer to section 8 of SDS.

Section 7: Handling and storage

7.1. Precautions for safe handling

Handling requirements: Ensure there is sufficient ventilation of the area. Avoid direct contact with the substance.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions: Store in a cool, well ventilated area. Keep container tightly closed.

7.3. Specific end use(s)

Specific end use(s): No data available.

Section 8: Exposure controls/personal protection

8.1. Control parameters

Hazardous ingredients:

ORTHOPHOSPHORIC ACID...100%

Workplace exposure limits:

Respirable dust

State	8 hour TWA	15 min. STEL	8 hour TWA	15 min. STEL
EU	1 mg/m3	2 mg/m3	-	-

DNEL/PNEC Values

DNEL / PNEC No data available.

8.2. Exposure controls

Engineering measures: Ensure there is sufficient local exhaust ventilation.

Respiratory protection: Self-contained breathing apparatus must be available in case of emergency.

Hand protection: Impermeable gloves.

Eye protection: Safety goggles. Ensure eye bath is to hand.

Skin protection: Protective clothing with elasticated cuffs and closed neck. Boots made of PVC. Ensure safety shower is to hand.

Section 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

State: Liquid

Colour: Dark Amber

Oxidising: Non-oxidising (by EC criteria)

Relative density: 1.195

SAFETY DATA SHEET
FEDERCROM PC REPLENISHER

Page: 6

9.2. Other information

Other information: No data available.

Section 10: Stability and reactivity

10.1. Reactivity

Reactivity: Stable under recommended transport or storage conditions.

10.2. Chemical stability

Chemical stability: Stable under normal conditions.

10.3. Possibility of hazardous reactions

Hazardous reactions: Hazardous reactions will not occur under normal transport or storage conditions.
Decomposition may occur on exposure to conditions or materials listed below.

10.4. Conditions to avoid

Conditions to avoid: Heat. Hot surfaces. Flames.

10.5. Incompatible materials

Materials to avoid: Reducing agents. Organic materials. Strong bases.

10.6. Hazardous decomposition products

Haz. decomp. products: In combustion emits toxic fumes.

Section 11: Toxicological information

11.1. Information on toxicological effects

Hazardous ingredients:

CHROMIUM TRIOXIDE

IVN	RAT	LD50	9260	µg/kg
ORL	MUS	LD50	127	mg/kg
ORL	RAT	LD50	80	mg/kg

ORTHOPHOSPHORIC ACID...100%

ORL	RAT	LD50	1530	mg/kg
-----	-----	------	------	-------

Relevant effects for mixture:

Effect	Route	Basis
Acute toxicity (harmful)	DRM ING	Hazardous: calculated
Acute toxicity (very toxic)	INH	Hazardous: calculated
Corrosivity	OPT INH DRM	Hazardous: calculated

[cont...]

SAFETY DATA SHEET
FEDERCROM PC REPLENISHER

Page: 7

Sensitisation	INH DRM	Hazardous: calculated
Repeated dose toxicity	INH	Hazardous: calculated
Carcinogenicity	--	Hazardous: calculated
Mutagenicity	--	Hazardous: calculated
Toxicity for reproduction	--	Hazardous: calculated

Symptoms / routes of exposure

Skin contact: Irritation or pain may occur at the site of contact. Severe burns may occur. Absorption through the skin may occur causing symptoms similar to those of ingestion.

Eye contact: There may be irritation and redness. There may be severe pain. Corneal burns may occur.

Ingestion: There may be difficulty swallowing. Inhalation of fumes from the stomach may cause symptoms similar to direct inhalation. Nausea and stomach pain may occur. There may be vomiting. The breathing may become shallow and rapid. May cause dizziness. There may be loss of consciousness. Convulsions may occur.

Inhalation: There may be a feeling of tightness in the chest with shortness of breath. There may be loss of consciousness. Convulsions may occur.

Delayed / immediate effects: Immediate effects can be expected after short-term exposure.

Section 12: Ecological information

12.1. Toxicity

Ecotoxicity values: No data available.

12.2. Persistence and degradability

12.3. Bioaccumulative potential

12.4. Mobility in soil

Mobility: Soluble in water.

12.5. Results of PBT and vPvB assessment

PBT identification: This product is not identified as a PBT/vPvB substance.

12.6. Other adverse effects

Other adverse effects: Toxic to aquatic organisms.

Section 13: Disposal considerations

13.1. Waste treatment methods

Disposal operations: Do not discharge concentrated material into a sewer. Waste is classed as special waste by the Hazardous Waste Regulations 2005 and must be disposed of by a licensed waste disposal contractor.

Recovery operations: Dispose of in accordance with local and national regulations.

Disposal of packaging: All residues must be removed from packaging prior to disposal as controlled waste.

[cont...]

SAFETY DATA SHEET
FEDERCROM PC REPLENISHER

Page: 8

NB: The user's attention is drawn to the possible existence of regional or national regulations regarding disposal.

Section 14: Transport information

14.1. UN number

UN number: UN2922

14.2. UN proper shipping name

Shipping name: CORROSIVE LIQUID, TOXIC, N.O.S.
(CHROMIUM TRIOXIDE; ORTHOPHOSPHORIC ACID)

14.3. Transport hazard class(es)

Transport class: 8 (6.1)

14.4. Packing group

Packing group: II

14.5. Environmental hazards

Environmentally hazardous: Yes

Marine pollutant: No

14.6. Special precautions for user

Special precautions: No special precautions.

Tunnel code: E

Transport category: 3

Section 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.2. Chemical Safety Assessment

Chemical safety assessment: A chemical safety assessment has not been carried out for the substance or the mixture by the supplier.

Section 16: Other information

Other information

Other information: Refer to the Manual Handling Operations Regulations 1992.

Store in accordance with HSE Guidance Note CS17.

Classed as special waste by the Hazardous Waste Regulations 2005.

Read in conjunction with the Technical Data sheet concerning use of the product.

NOTE: alterations and additions have been made in most Sections of revision 3.

Phrases used in s.2 and s.3: H271: May cause fire or explosion; strong oxidiser.

H301: Toxic if swallowed.

H302+312: Harmful if swallowed or in contact with skin.

H311: Toxic in contact with skin.

[cont...]

SAFETY DATA SHEET
FEDERCROM PC REPLENISHER

Page: 9

H314: Causes severe skin burns and eye damage.

H317: May cause an allergic skin reaction.

H330: Fatal if inhaled.

H334: May cause allergy or asthma symptoms or breathing difficulties if inhaled.

H340: May cause genetic defects <state route of exposure if it is conclusively proven that no other routes of exposure cause the hazard>.

H350: May cause cancer <state route of exposure if it is conclusively proven that no other routes of exposure cause the hazard>.

H361f: Suspected of damaging fertility.

H372: Causes damage to organs <or state all organs affected, if known> through prolonged or repeated exposure <state route of exposure if it is conclusively proven that no other routes of exposure cause the hazard>.

H410: Very toxic to aquatic life with long lasting effects.

H411: Toxic to aquatic life with long lasting effects.

R9: Explosive when mixed with combustible material.

R21/22: Harmful in contact with skin and if swallowed.

R24/25: Toxic in contact with skin and if swallowed.

R26: Very toxic by inhalation.

R34: Causes burns.

R35: Causes severe burns.

R42/43: May cause sensitisation by inhalation and skin contact.

R45: May cause cancer.

R46: May cause heritable genetic damage.

R48/23: Toxic: danger of serious damage to health by prolonged exposure through inhalation.

R50/53: Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

R51/53: Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

R62: Possible risk of impaired fertility.

Legal disclaimer: The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. This company shall not be held liable for any damage resulting from handling or from contact with the above product.