



## SAFETY DATA SHEET

LEKTROSOAK EXTRA

Page: 1

Compilation date: 23/08/00

Revision date: 01/05/15

Revision No: 4

### Section 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

**Product name:** LEKTROSOAK EXTRA

**Product code:** A110

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

**Use of substance / mixture:** Alkaline detergent powder.

#### 1.3. Details of the supplier of the safety data sheet

**Company name:** Confederate Chemicals Ltd

Mochdre Industrial Estate

Newtown

Powys

SY16 4LE

**Tel:** 01686 627158

**Fax:** 01686 627580

**Email:** [lab@confederatechemicals.co.uk](mailto:lab@confederatechemicals.co.uk)

#### 1.4. Emergency telephone number

**Emergency tel:** 01686 627158

### Section 2: Hazards identification

#### 2.1. Classification of the substance or mixture

**Classification under CHIP:** C: R35

**Classification under CLP:** Skin Corr. 1A: H314

**Most important adverse effects:** Causes severe burns.

#### 2.2. Label elements

**Label elements:**

**Hazard statements:** H314: Causes severe skin burns and eye damage.

**Signal words:** Danger

**Hazard pictograms:** GHS05: Corrosion



**Precautionary statements:** P260: Do not breathe dust/fumes/gas/mist/vapours/spray.

P280: Wear protective gloves/protective clothing/eye protection/face protection.

P301+330+331: IF SWALLOWED: rinse mouth. Do NOT induce vomiting.

[cont...]

# SAFETY DATA SHEET

LEKTROSOAK EXTRA

Page: 2

P303+361+353: IF ON SKIN (or hair): Take off immediately all contaminated clothing.

Rinse skin with water/shower.

P304+340: IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P305+351+338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

## Label elements under CHIP:

**Hazard symbols:** Corrosive.



**Risk phrases:** R35: Causes severe burns.

**Safety phrases:** S26: In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

S36/37/39: Wear suitable protective clothing, gloves and eye / face protection.

S45: In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible).

## 2.3. Other hazards

**PBT:** This product is not identified as a PBT/vPvB substance.

## Section 3: Composition/information on ingredients

### 3.2. Mixtures

#### Hazardous ingredients:

SODIUM HYDROXIDE - REACH registered number(s): 01-2119457892-27

EINECS	CAS	CHIP Classification	CLP Classification	Percent
215-185-5	1310-73-2	C: R35	Skin Corr. 1A: H314	30-50%

SODIUM CARBONATE

207-838-8	497-19-8	Xi: R36	Eye Irrit. 2: H319	10-30%
-----------	----------	---------	--------------------	--------

SODIUM METASILICATE PENTAHYDRATE

229-912-9	10213-79-3	C: R34; Xi: R37	-	10-30%
-----------	------------	-----------------	---	--------

NANSA HS85S

-	-	Xi: R36/38	-	1-10%
---	---	------------	---	-------

**Contains:** Benzenesulphonic acid

## Section 4: First aid measures

### 4.1. Description of first aid measures

**Skin contact:** Remove all contaminated clothes and footwear immediately unless stuck to skin.

Drench the affected skin with running water for 10 minutes or longer if substance is still on skin. Transfer to hospital if there are burns or symptoms of poisoning.

[cont...]

# SAFETY DATA SHEET

LEKTROSOAK EXTRA

Page: 3

**Eye contact:** Bathe the eye with running water for 15 minutes. Transfer to hospital for specialist examination.

**Ingestion:** Do not induce vomiting. Give 1 cup of water to drink every 10 minutes. If unconscious, check for breathing and apply artificial respiration if necessary. If unconscious and breathing is OK, place in the recovery position. Transfer to hospital as soon as possible.

**Inhalation:** Remove casualty from exposure ensuring one's own safety whilst doing so. If unconscious, check for breathing and apply artificial respiration if necessary. If unconscious and breathing is OK, place in the recovery position. If conscious, ensure the casualty sits or lies down. If breathing becomes bubbly, have the casualty sit and provide oxygen if available. Transfer to hospital as soon as possible.

## 4.2. Most important symptoms and effects, both acute and delayed

**Skin contact:** Irritation or pain may occur at the site of contact. Blistering may occur. Severe burns may occur.

**Eye contact:** There may be irritation and redness. The eyes may water profusely. Corneal burns may occur.

**Ingestion:** It is unlikely that this substance will be swallowed due to its physical properties.

**Inhalation:** There may be a feeling of tightness in the chest with shortness of breath. Exposure may cause coughing or wheezing. There may be congestion of the lungs causing severe shortness of breath. There may be loss of consciousness.

**Delayed / immediate effects:** Immediate effects can be expected after short-term exposure.

## 4.3. Indication of any immediate medical attention and special treatment needed

**Immediate / special treatment:** Eye bathing equipment should be available on the premises.

## Section 5: Fire-fighting measures

### 5.1. Extinguishing media

**Extinguishing media:** Carbon dioxide. Alcohol or polymer foam. Dry chemical powder.

### 5.2. Special hazards arising from the substance or mixture

**Exposure hazards:** Corrosive. In combustion emits toxic fumes.

### 5.3. Advice for fire-fighters

**Advice for fire-fighters:** Wear self-contained breathing apparatus. Wear protective clothing to prevent contact with skin and eyes.

## Section 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

**Personal precautions:** Mark out the contaminated area with signs and prevent access to unauthorised personnel. Do not create dust.

[cont...]

# SAFETY DATA SHEET

LEKTROSOAK EXTRA

Page: 4

## 6.2. Environmental precautions

**Environmental precautions:** Do not discharge into drains or rivers. Contain the spillage using bunding.

## 6.3. Methods and material for containment and cleaning up

**Clean-up procedures:** Transfer to a suitable container. Wash down the drain with large amounts of water.

## 6.4. Reference to other sections

**Reference to other sections:** Refer to section 8 of SDS.

## Section 7: Handling and storage

### 7.1. Precautions for safe handling

**Handling requirements:** Ensure there is sufficient ventilation of the area. Avoid direct contact with the substance.

### 7.2. Conditions for safe storage, including any incompatibilities

**Storage conditions:** Store in a cool, well ventilated area. Keep container tightly closed.

### 7.3. Specific end use(s)

**Specific end use(s):** No data available.

## Section 8: Exposure controls/personal protection

### 8.1. Control parameters

**Workplace exposure limits:** No data available.

### DNEL/PNEC Values

**DNEL / PNEC** No data available.

### 8.2. Exposure controls

**Engineering measures:** Ensure there is sufficient ventilation of the area.

**Respiratory protection:** Self-contained breathing apparatus must be available in case of emergency.

**Hand protection:** Protective gloves.

**Eye protection:** Safety goggles. Face-shield. Ensure eye bath is to hand.

**Skin protection:** Protective clothing with elasticated cuffs and closed neck. Boots made of PVC. Ensure safety shower is to hand.

## Section 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

**State:** Solid

**Colour:** White

**Odour:** Faint

**Oxidising:** Non-oxidising (by EC criteria)

**Solubility in water:** Soluble

**Flash point°C:** None

**pH:** 14 approx.

[cont...]

# SAFETY DATA SHEET

LEKTROSOAK EXTRA

Page: 5

## 9.2. Other information

**Other information:** No data available.

## Section 10: Stability and reactivity

### 10.1. Reactivity

**Reactivity:** Stable under recommended transport or storage conditions.

### 10.2. Chemical stability

**Chemical stability:** Will absorb moisture from the air.

### 10.3. Possibility of hazardous reactions

**Hazardous reactions:** Hazardous reactions will not occur under normal transport or storage conditions.  
Decomposition may occur on exposure to conditions or materials listed below.

### 10.4. Conditions to avoid

**Conditions to avoid:** Moist air.

### 10.5. Incompatible materials

**Materials to avoid:** There is heat evolution if water is added to the product. Aluminium. Magnesium.

### 10.6. Hazardous decomposition products

**Haz. decomp. products:** Potassium Hydroxide reacts with Aluminium and Magnesium with the evolution of Hydrogen, especially in the presence of water. Exothermic reaction with water.

## Section 11: Toxicological information

### 11.1. Information on toxicological effects

**Hazardous ingredients:**

#### SODIUM HYDROXIDE

IPR	MUS	LD50	40	mg/kg
ORL	RBT	LDLO	500	mg/kg

#### SODIUM CARBONATE

ORL	RAT	LD50	4090	mg/kg
-----	-----	------	------	-------

#### SODIUM METASILICATE PENTAHYDRATE

ORL	RAT	LD50	<2000	mg/kg
-----	-----	------	-------	-------

**Relevant effects for mixture:**

Effect	Route	Basis
--------	-------	-------

[cont...]

# SAFETY DATA SHEET

LEKTROSOAK EXTRA

Page: 6

Corrosivity	OPT INH DRM	Hazardous: calculated
-------------	-------------	-----------------------

## Symptoms / routes of exposure

**Skin contact:** Irritation or pain may occur at the site of contact. Blistering may occur. Severe burns may occur.

**Eye contact:** There may be irritation and redness. The eyes may water profusely. Corneal burns may occur.

**Ingestion:** It is unlikely that this substance will be swallowed due to its physical properties.

**Inhalation:** There may be a feeling of tightness in the chest with shortness of breath. Exposure may cause coughing or wheezing. There may be congestion of the lungs causing severe shortness of breath. There may be loss of consciousness.

**Delayed / immediate effects:** Immediate effects can be expected after short-term exposure.

## Section 12: Ecological information

### 12.1. Toxicity

**Ecotoxicity values:** No data available.

### 12.2. Persistence and degradability

**Persistence and degradability:** This product contains surfactants considered by our suppliers to be >80% biodegradable when tested by the OECD screening test which satisfies EEC directives 82/242 and/or 82/243.

### 12.3. Bioaccumulative potential

### 12.4. Mobility in soil

**Mobility:** Soluble in water.

### 12.5. Results of PBT and vPvB assessment

**PBT identification:** This product is not identified as a PBT/vPvB substance.

### 12.6. Other adverse effects

**Other adverse effects:** Contains no substance classified as Dangerous for the Environment in the Chemicals (Hazard Information and Packaging) Regulations 2002, or subsequent amendments.

## Section 13: Disposal considerations

### 13.1. Waste treatment methods

**Disposal operations:** Solutions may be disposed of by means of an effluent treatment plant. Note dissolved oils and metals will form part of the consent limits.

**Recovery operations:** Subject to Hazardous Waste Regulations 2005 as amended. Consult a suitably licensed waste disposal company to agree the classification and consent limit before disposal or discharge.

**Disposal of packaging:** All residues must be removed from packaging prior to disposal as controlled waste.

**NB:** The user's attention is drawn to the possible existence of regional or national regulations regarding disposal.

[cont...]

# SAFETY DATA SHEET

LEKTROSOAK EXTRA

Page: 7

## Section 14: Transport information

### 14.1. UN number

UN number: UN3262

### 14.2. UN proper shipping name

Shipping name: CORROSIVE SOLID, BASIC, INORGANIC, N.O.S.  
(SODIUM HYDROXIDE; DISODIUM TRIOXOSILICATE)

### 14.3. Transport hazard class(es)

Transport class: 8

### 14.4. Packing group

Packing group: II

### 14.5. Environmental hazards

Environmentally hazardous: No

Marine pollutant: No

### 14.6. Special precautions for user

Special precautions: No special precautions.

Tunnel code: E

Transport category: 2

## Section 15: Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

### 15.2. Chemical Safety Assessment

**Chemical safety assessment:** A chemical safety assessment has not been carried out for the substance or the mixture by the supplier.

## Section 16: Other information

### Other information

**Other information:** Refer to the Manual Handling Operations Regulations 1992.  
Store in accordance with HSE Guidance Note CS17.  
Classed as special waste by the Hazardous Waste Regulations 2005.  
Read in conjunction with the Technical Data sheet concerning use of the product.

**Phrases used in s.2 and s.3:** H314: Causes severe skin burns and eye damage.

H319: Causes serious eye irritation.

R34: Causes burns.

R35: Causes severe burns.

R36/38: Irritating to eyes and skin.

R36: Irritating to eyes.

R37: Irritating to respiratory system.

[cont...]

## **SAFETY DATA SHEET**

LEKTROSOAK EXTRA

**Page: 8**

**Legal disclaimer:** The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. This company shall not be held liable for any damage resulting from handling or from contact with the above product.